



**KJHB100W60KF**





## Code Name

**KJHB XXXW - XX**

Color : 6000K

Power: 100W


Model: Kang Jou High Bay

## Installation



Hook Mount

## Product size





## Parameter

Name		KJHB100W60KF		
Item				
<b>Electrical</b>	Power	100W		
	Input Voltage	MEANWELL DRIVER 90-305VAC		
	Input Current	0.68A@220VAC		
	PF	>0.90@220VAC		
	DC output voltage	48V		
	DC output current	2.9A		
	Dimming (Optional)	1-10V MICRO WAVE SENSOR		
<b>Photometric</b>	CCT	Neutral white (4000K)、Natural white (5000K)、Cool white (6000K) Warm white (3000K) ---can be customized		
	Ra >80	Typical Flux	13000 Lm±5%	
		Efficiency	130Lm/W±5%	
	Ra >70	Typical Flux	15000Lm±5%	
		Efficiency	150Lm/W±5%	
	LED Brand	China brand 3030		
	Beam Angle	120°		
LDC (Polar)				
<b>Others</b>	Operation Temp.	-40℃ ~ +45℃		
	Storage Temp.	-40℃ ~ +85℃		
	Life Circle	45℃ 50000Hours		
	IP Class	IP69K		
	IK Class	IK10		
	Certificate	NSF, ETL, DLC, CE Class II Chemical Explosion proof		
	Body Color	Orange (default with RAL2000)、Gray ( optional for RAL9007), White		
	Product Size(mm)	Meanwell	300*300*182	
	&Net weight	Driver	4.85Kg	
	Packing Size(mm)	Meanwell	370*370*240	
&Gross weight	Driver	5.85Kg		
Installation mode	Hook Mount			